

Cisco

300-810 Exam

**Cisco Implementing Cisco Collaboration Applications (CLICA)
Exam**

**Questions & Answers
(Demo Version – Limited Content)**

Thank you for Downloading 300-810 exam PDF Demo

Version: 4.0

Question: 1

Which authentication method allows a user to log in to an SSO-enabled Cisco Unified Communications application by utilizing a Microsoft Windows login, thereby not requiring any credentials to be entered?

- A. Smart Card
- B. OAuth
- C. form-based
- D. Kerberos

Answer: B

Reference:

<https://developer.cisco.com/docs/cisco-unified-communications-single-sign-on-tutorial/#!cisco-unified-communications-single-sign-on-tutorial/learning-more-about-sso>

Question: 2

When Cisco IM and Presence is configured to use automatic fallback, how long does the Server Recovery Manager service wait for a failed service/server to remain active before an automatic fallback is initiated?

- A. 10 minutes
- B. 20 minutes
- C. 30 minutes
- D. 1 hour

Answer: C

Reference:

<https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-manager-im-presence-service/200958-IM-and-Presence-Server-High-Availability.html>

Question: 3

Which entity is a standard component used for authentication by SAML 2.0?

- A. identity provider

- B. session broker
- C. Internet service provider
- D. client access server

Answer: A

Question: 4

DRAG DROP

Drag and drop the events for an on-premises Jabber SAML SSO flow from the left into the correct order on the right.

Service Provider Authorization request	Step 1
SSO Mode Discovery	Step 2
IDP Authentication	Step 3
Service Provider Authentication	Step 4

Answer:

SSO Mode Discovery
IDP Authentication
Service Provider Authentication
Service Provider Authorization request

Question: 5

Which two command line arguments can you specify when installing Cisco Jabber for windows?
(Choose two.)

- A. CISCO_UDS_DOMAIN

- B. TFTP_ADDRESS
- C. VOICEMAIL_SERVER_ADDRESS
- D. SERVICES_DOMAIN
- E. TFTP

Answer: DE

Reference:

[https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_0/](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_0/CJAB_BK_D657A25F_00_deployment-installation-guide-jabber-110/CJAB_BK_D657A25F_00_deployment-110_chapter_01100.html#JABW_RF_CE43EF4C_00)

CJAB_BK_D657A25F_00_deployment-installation-guide-jabber-110/CJAB_BK_D657A25F_00_deployment-110_chapter_01100.html#JABW_RF_CE43EF4C_00

installation-guide-jabber-

Thank You for trying 300-810 PDF Demo