

UiPath

UIPATH-ARDV1 Exam

UiPath Advanced RPA Developer v1.0 Exam

**Questions & Answers
(Demo Version – Limited Content)**

Thank you for Downloading UIPATH-ARDV1 exam PDF Demo

Version: 5.0

Topic 1, Exam Pool A Main Questions

Question: 1

A developer plans to create a process to automate a web application. The web application requires HTML buttons and text boxes to be loaded. Although some assets may still be loading, the robot should perform the UI actions once the buttons and text boxes are loaded.

Which property should be configured?


- A. TimeoutMS = 10000
- B. WaitForReady = Complete
- C. TimeoutMS = Int32.MaxValue
- D. WaitForReady = Interactive

Answer: D



Reference: <https://docs.uipath.com/activities/docs/ui-element-exists>

Question: 2

A developer reviewed the following sequence:



The parameters of the Invoke Method are:



In order to get the table name of the first element in the DataSet, which expressions should the developer use?

- A. DataSet.Tables(0).TableName
- B. DataSet.Tables(1).TableName
- C. DataSet.Rows(0).TableName
- D. DataSet.Rows(1).TableName

Answer: C

Question: 3

A developer was reviewing an Orchestration process whose "main" attribute is set to Main.xaml in project.json.

However, the process is not pausing as intended. What is a possible cause for this issue?

- A. UI activities were not used in the process.
- B. "Wait for Form Task and Resume" activity was called in Main.xaml.
- C. Process created a task in the Orchestrator.
- D. "Wait for Form Task and Resume" activity was called in GetApproval.xaml.

Answer: A

Question: 4

A developer needs to automate a process which involves capturing support ticket numbers from the email subject line. For example, the email subject line includes: "Action Required – XA/135" where "XA/135" is the ticket number. The robot should validate the pattern of the ticket number before proceeding.

Which expression exclusively matches the ticket number pattern from the subject line?

A.	RegEx	Value	Quantifiers
	Anything	.	Any (0 or more) *
	Literal	/	Exactly 1
	Digit	\d	Exactly 3

B.	RegEx	Value	Quantifiers
	One of	[A-Z]\d	Any (0 or more) *

C.	RegEx	Value	Quantifiers
	Digit	\d	Exactly 3
	Literal	/	Exactly 1
	Any word character	\w	Exactly 2

D.	RegEx	Value	Quantifiers
	Any word character	\w	Exactly 2
	Literal	/	Exactly 1
	Digit	\d	Exactly 3

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

Question: 5

A developer uses Workflow Analyzer with the default rules to check if a project follows best practices. In one of the workflows, the Properties of a Click activity is shown in the following exhibit.

The screenshot shows the Properties window for the UiPath.Core.Activities.Click activity. The properties are organized into several categories:

- Common:**
 - ContinueOnError: *Specifies to continue execution* (checkbox checked)
 - DelayAfter: 3000
 - DelayBefore: *Delay time (in milliseconds)*
 - Display Name: Click Calculator button
- Input:**
 - ClickType: ClickType.CLICK_SINGLE
 - MouseButton: MouseButton.BTN_LEFT
- Target:** Target
- Misc:**
 - Private: (checkbox unchecked)
- Options:**
 - AlterIfDisabled: *If selected, the simulated* (checkbox checked)
 - CursorPosition: CursorPosition
 - KeyModifiers: KeyModifiers.None
 - SendWindowMess...: *If selected, the click is executed* (checkbox checked)
 - SimulateClick: True

Which warning will be shown in the Analyzer output for this activity?

- A. Timeout values is not defined in activity Click Calculator button
- B. Hardcoded delays used in activity Click Calculator button
- C. Activity Click Calculator button has a default name
- D. SendWindowMessages not checked in activity Click Calculator button

Answer: C

Thank You for trying UIPATH-ARDV1 PDF Demo

Start Your UIPATH-ARDV1 Preparation

[Limited Time Offer] Use Coupon “**dumps20**” for extra 20% discount on the purchase of PDF. Test your UIPATH- ARDV1 preparation with actual exam questions.